Advanced Business Analytics in Healthcare Enhancing Clinical Decision Support and Operational Efficiency

Sonia Nashid[1*], Sonia Khan Papia[2], Niladry Chowdhury[3], Md Sakib Mia[3], Md Iqbal Hossain[4]

Abstract

Background: The healthcare industry undergoes a rapid transformation because of advanced business analytics which drives data-based choices and improves operational effectiveness along with clinical decision support (CDS). The healthcare industry shows diverse rates of adoption and implementation success because of technical and organizational and human-related factors. Methods: A cross-sectional study took place in July 2023 where 130 healthcare professionals from hospitals, clinics and public health agencies and private healthcare providers participated. The researchers gathered data through a structured questionnaire which participants completed either online or through face-to-face interaction. The questionnaire evaluated organizational attributes along with analytics adoption levels and tool usage as well as benefits experienced and obstacles encountered. The study used SPSS v26 to conduct descriptive statistics along with cross-tabulations and correlation analyses for analyzing adoption trends and connections between analytics usage and reported outcomes. Results: Advanced analytics tools actively support 78% of respondents while 65% apply analytics to their CDS systems and 58% use analytics for operational optimization purposes. Improved diagnostic accuracy along with better operational efficiency and increased patient satisfaction stood out as the primary advantages reported by participants. Data interoperability issues represented the primary challenge according to 68% of respondents while 64% cited privacy and security issues and 59% reported insufficient staff training. Conclusion: Healthcare organizations need to prioritize interoperability solutions and implement robust data governance while investing in workforce training for analytics capability development and sustainable adoption of these solutions.

Keywords: Business analytics, healthcare, clinical decision support, operational efficiency, predictive modeling

Significance | This study highlights how advanced business analytics improves healthcare decisions and efficiency while addressing interoperability, privacy, and workforce challenges.

*Correspondence. Sonia Nashid, Department of Data Analytics, Graduate School of Technology, Touro University, New York, United States.
E-mail: sonia.nashid7@gmail.com

Editor Shereen Noranee, Ph.D., And accepted by the Editorial Board Jul 25, 2023 (received for review May 01, 2023)

1. Introduction

Healthcare organizations today produce vast amounts of data through EHRs and diagnostic imaging systems together with laboratory results and wearable devices and administrative data sources. Research reveals that hospitals create over 50 terabytes of data every year although only 30% of this information gets utilized for decision-making purposes (Wang & Byrd, 2017). Large complex data sets require conversion into meaningful insights which

Author Affiliation.
[1] Department of Data Analytics, Graduate School of Technology, Touro University, New York, United States.
[2] Master of Science, Washington University of Science & Technology, Alexandria, United States.
[3] College of Graduate and Professional Studies, Trine University, Angola, Indiana, United States.
[4] Department of Management Information Systems, University of Bridgeport, CT, United States.

Please cite this article.
Nashid, S., Papia, S. K., Chowdhury, N., Mia, M. S., Hossain, M. I. (2023). "Advanced Business Analytics in Healthcare Enhancing Clinical Decision Support and Operational Efficiency", Business and Social Sciences, 1(1),1-8,10345

/© 2023 BUSINESS & SOCIAL SCIENCES, a publication of Eman Research, USA.
This is an open access article under the CC BY-NC-ND license.
(http.//creativecommons.org/licenses/by-nc-nd/4.0/).
(https./publishing.emanresearch.org).

becomes essential for improving patient care quality and reducing medical errors along with optimizing organizational operations (Ward et al., 2014). The transformation process depends heavily on advanced business analytics which delivers descriptive analytics to analyze past events and diagnostic analytics to explain event causes and predictive analytics to forecast future results and prescriptive analytics to determine the optimal action steps (Kohli et al., 2001).Healthcare institutions use analytical methods to detect patterns within their data while predicting patient needs and enhancing resource utilization beyond standard decision processes. The integration of Clinical decision support (CDS) systems with advanced analytics tools results in better diagnostic accuracy and enhanced patient risk prediction and evidence-based interventions. Research findings indicate that predictive analytics models boost diagnostic accuracy by 20% within oncology and cardiology high-stakes specialties while reducing unnecessary tests by 15–25% (Musen et al., 2021). Through these tools clinicians can detect patients who need urgent care leading to a 10–15% reduction of ICU admissions because of early treatment. Operational analytics enables organizations to distribute staff and resources more effectively while decreasing patient waiting durations and making hospital operations more efficient (Rew, 2000).

Large hospitals in urban areas that implement real-time analytics show emergency department wait times decrease by 35% and bed turnover efficiency increases between 15–20% (Wickramasinghe & Schaffer, 2018). Through analytics-based demand forecasting hospitals gain the ability to plan for patient volume changes which leads to sufficient staffing levels and supply chain preparedness. Healthcare organizations encounter substantial obstacles when implementing sophisticated analytics solutions even though they bring numerous benefits (Sharma et al., 2014). Almost 45 percent of healthcare providers report challenges during the process of unifying data from multiple systems including electronic health records and imaging devices and laboratory platforms. More than 60 % of healthcare organizations identify cybersecurity threats as their primary obstacle to enhance analytics capabilities because they remain deeply concerned about data privacy and security (Ratia et al., 2019). The implementation of advanced analytics platforms faces budgetary limitations which mainly affect healthcare facilities located in rural areas and smaller healthcare organizations. The implementation of advanced analytics faces a major obstacle because of the insufficient number of professionals who possess both clinical background and data analytics expertise (Simpao et al., 2014). Research shows that more than 50% of healthcare organizations do not have enough data analysts and data scientists working in-house while clinicians show reluctance to trust analytics without adequate training or simple user interfaces. Healthcare requires advanced business analytics not only as a technological improvement but also as an essential strategic step to enhance both clinical and operational results (Rehman et al., 2021). The research aims analytics adoption among hospitals and clinics as well as public health agencies and private healthcare providers while identifying common tools and techniques and their effects on clinical outcomes and operational efficiency and analyzing barriers to implementation (Mosa et al., 2012). The study provides a detailed investigation of healthcare business analytics status to help policy decision-makers and administrators and developers understand successful approaches for data-driven decision improvement and patient care advancement in modern data-centric environments.

2. Materials and Methods

2.1 Study Design

The research used a cross-sectional descriptive design to study the adoption and impact of advanced business analytics in healthcare. A cross-sectional design was selected to obtain an overview of current healthcare practices and outcomes at multiple healthcare organizations during a single point in time (Rajkomar et al., 2018). The descriptive approach of the study enabled researchers to measure the adoption rates of advanced analytics and identify popular tools while assessing the benefits and implementation barriers. Data collection from various healthcare facilities including hospitals, clinics, public health agencies and private healthcare providers was possible through the cross-sectional design which created a wide overview of analytics usage throughout the healthcare sector (Boyce et al., 2014). Studies from the USA show that more than 70% of large hospitals use advanced analytics to improve clinical decision-making and operational efficiency which demonstrates its worldwide significance.

2.2 Study Population and Sampling

The research study counted 130 healthcare professionals who worked in hospitals with 60 respondents representing 46.2% clinics had 35 respondents at 26.9% public health agencies included 20 respondents 15.4% and private healthcare organizations had 15 respondents at 11.5%. The study included healthcare professionals who consisted of physicians along with nurses and clinical managers and hospital administrators and information technology specialists that worked with data-driven decisions (McGovern et al., 2017). The study used purposive sampling together with proportional representation to match the sample to the workforce distribution of various healthcare organizations. The selection process focused on professionals who used analytics tools with all participants having at least one year of experience in their present roles while knowing analytics applications in their organizations (He et al., 2018). This research method obtained valuable information from experts who could effectively evaluate the operational and clinical effects of analytics solutions.

2.3 Data Collection for Analytics Adoption




Figure 1. Tools and Techniques Used of Advanced Business Analytics

Data were collected during July 2023 using a structured questionnaire designed to assess analytics adoption, perceived benefits, and implementation challenges. The questionnaire included multiple sections covering organizational characteristics, the extent of analytics integration in clinical decision support and operational management, specific tools and techniques used, and barriers to effective adoption (Brown-Liburd et al., 2015). Both online surveys and face-to-face administration were employed to maximize participation and ensure representation from both urban and rural healthcare facilities. The survey was pretested with a small group of healthcare professionals to validate clarity, relevance, and reliability of the questions (Farid et al., 2005). The response rate achieved was 86%, ensuring that the findings represented a substantial portion of the targeted population.

2.4 Data Analysis

The collected data underwent analysis through SPSS version 26 after being coded. The respondent demographics together with adoption levels and perceived benefits were summarized through descriptive statistics which included frequencies percentages and mean values. Cross-tabulations investigated organizational type differences while correlation analyses studied connections between analytics adoption levels and clinical decision-making and operational efficiency improvements (Luo et al., 2016). Reliability analyses checked the consistency of Likert-scale responses while pairwise deletion was used to handle missing data for maintaining data integrity. The findings were combined through narrative analysis to deliver a thorough explanation of analytics adoption together with effectiveness and challenges while showing detailed observations about advanced business analytics implementation in healthcare facilities.

2.5 Ethical Consideration

Healthcare business analytics applies predictive modeling together with real-time data processing and machine learning algorithms to help medical decisions and improve operational efficiency. The tools use evidence-based interventions delivered at suitable moments to generate improved patient outcomes with decreased costs and enhanced resource efficiency. The ethical framework requires complete attention to protect patient data privacy while preventing algorithmic bias and making all decision process details available (Rehman et al., 2021). Healthcare organizations need to develop clear data governance standards to safeguard patient data through HIPAA and GDPR compliant processes which obtain patient permission. The integration of innovative practices with ethical principles enables analytics-based healthcare to provide patient-centered care that is trustworthy and equitable in treatment.

3. Results

3.1 Adoption of Advanced Business Analytics

The survey revealed that 78% of participants reported their organizations presently implement sophisticated business analytics. The 65% of respondents reported their organizations used analytics through clinical decision support systems and 58% applied analytics to operational efficiency Table 1. The organizations showed different levels of adoption as 85% of hospitals and 77% of clinics together with 65% of public health agencies and 60% of private healthcare providers actively used analytics (Li et al., 2002). Hospitals commonly adopted advanced analytics tools because they had bigger financial resources along with robust IT frameworks and more substantial patient numbers. The primary use of analytics by clinics and private healthcare providers focused on optimizing workflows together with monitoring patients (Rehman et al., 2021). The results show that although many organizations use analytics




Figure 2. Challenges in Analytics Implementation

small healthcare institutions encounter obstacles to fully using advanced features that include predictive modeling and machine learning algorithms.

3.2 Reported Benefits of Analytics Implementation

Survey participants stated that their organizations achieved substantial advancements in medical accuracy and operational performance efficiency as well as patient contentment and operational costs and staff effectiveness. The data revealed that diagnostic precision reached an 18.5% increase together with a 21.3% improvement in operational effectiveness and a 15.2% rise in patient satisfaction (Forbes, 2005). Cost reduction and staff productivity improved by 12.7% and 17.1%, respectively Table 2. Hospitals demonstrated the greatest improvements which mainly focused on operational efficiency and diagnostic accuracy because they used advanced analytical tools together with skilled human resources. The extent of analytical deployment determines the measurable results which clinics and public health agencies achieve at a moderate level. Analytics implementation resulted in better decisions alongside quicker workflows and enhanced patient satisfaction.

3.3 Tools and Techniques Used of Advanced Business Analytics

The most popular tools among users consisted of predictive analytics for readmission risk (64%) and ML-based imaging analysis (57%) and real-time dashboards for bed management (53%). Figure 1 shows hospitals preferred machine learning and predictive models because these tools analyze extensive data sets and produce practical recommendations. The implementation of dashboards and basic predictive models helped clinics together with smaller providers to make better operational choices. The implementation of natural language processing for clinical notes (41%) and resource allocation optimization algorithms (39%) was less common than other tools. These tools demonstrated their value by helping organizations detect high-risk patients early while optimizing resource allocation and enabling data-based decisions across numerous operational areas.

3.4 Challenges in Analytics Implementation

The most commonly reported problems included data interoperability challenges at 68 percent and privacy security issues at 64 % and insufficient staff training at 59 %. In Figure 2 shows that budget constraints (54%) along with technology resistance (47%) stood as major obstacles. The healthcare organizations that encountered problems with data integration between different systems were hospitals whereas smaller clinics experienced financial limitations together with insufficient personnel training (Beheshti & Beheshti, 2010). The respondents highlighted the necessity for strong cybersecurity measures along with personnel development and enhanced system interoperability to achieve advanced analytics benefits in healthcare.

3.5 Correlation Between Analytics Adoption and Reported Benefits

The analysis of correlations explored how analytics adoption levels related to reported enhancements in various healthcare outcomes. The analysis revealed positive correlations throughout showing that advanced business analytics adoption leads to improved clinical decision-making and better operational efficiency and enhanced patient satisfaction and cost reduction and staff productivity improvements Table 3. The relationship between clinical benefits and operational efficiency showed the highest correlation value at r = 0.72, p &; 0.01 which indicates that better diagnostic accuracy together with early risk detection and clinical decision support improves hospital operations and resource allocation (Spring, 2007). The study demonstrated that organizations with complete

Table 1. Adoption Levels of Analytics by Organization Type

Organization Type	Respondents (n)	Using Analytics	Use Areas
Hospitals	60	85%	CDS, predictive modeling, workflow
Clinics	35	77%	Operational efficiency, patient monitoring
Public Health Agencies	20	65%	Population health reporting
Private Healthcare	15	60%	Patient satisfaction, cost reduction

analytics infrastructure and training achieved better outcomes through strong correlations between adoption level and clinical benefits (r = 0.69, p &; 0.01) and operational benefits (r = 0.65, p &; 0.01). These positive relationships demonstrate that better clinical decision-making creates an ongoing process which improves institutional performance through enhanced operational processes. Advanced analytics shows positive correlations with patient satisfaction (r = 0.61, p &; 0.01) and staff productivity (r = 0.60, p &; 0.01) which both indicate that advanced analytics enhances technical performance together with human healthcare delivery experiences (Ward et al., 2014).

4. Discussion

The research evaluates advanced business analytics implementation in healthcare to demonstrate its major effects on clinical decisions alongside operational improvements while examining ongoing technical and organizational as well as human challenges (Tzeng et al., 2007). The high percentage of analytics implementation across various healthcare environments indicates that organizations now view these tools as essential for improving patient outcomes and institutional operational effectiveness (Detmer et al., 2008). These positive relationships demonstrate that better clinical decision-making creates an ongoing process which improves institutional performance through enhanced operational processes. Hospitals achieved the highest adoption rate of 85% because their superior financial resources and advanced IT infrastructure combined with increased patient volumes allow them to implement complex predictive modeling and machine learning analytics in clinical practice (Politi et al., 2007). The implementation of analytics tools by smaller healthcare providers including clinics and private providers remains selective because they prioritize operational areas like workflow optimization and patient monitoring while facing budgetary limitations and different levels of analytics maturity. Research demonstrates that data-driven interventions lead to consistent benefits including an average diagnostic accuracy improvement of 18.5% along with operational efficiency gains of 21.3% and enhanced patient satisfaction of 15.2% (Ades et al., 2004). Current healthcare systems should pay attention to these results because they demonstrate value-based care and outcome-based reimbursement models need efficiency improvements and quality enhancements for sustainability purposes. The data shows that analytics adoption generates substantial performance gains because operational efficiency (r = 0.72) and clinical benefits (r = 0.69) show strong positive correlations with measured outcomes (Dey et al., 2008). These positive relationships demonstrate that better clinical decision-making creates an ongoing process which improves institutional performance through enhanced operational processes.

Organizations commonly use predictive analytics for readmission risk together with ML-based imaging analysis and real-time dashboards to achieve better patient outcomes while optimizing resource utilization (Glickman et al., 2007). Early identification of high-risk patients through predictive analytics and machine learning helps prevent expensive hospital readmissions while enabling fast intervention. Real-time dashboards enable swift operational adjustments because managers can respond promptly to changes in bed occupancy and workflow constraints. The lower adoption rate of natural language processing (41%) reveals that unstructured clinical notes data remains underutilized because organizations face challenges with system integration and require sophisticated linguistic processing models (Ranjan, 2008). The full-scale adoption of these advancements faces substantial obstacles during implementation. Data interoperability stands as the leading problem at 68% because healthcare IT systems operate in fragmented ways without universal standards for connecting EHRs with imaging and laboratory information. Numerous healthcare systems worldwide face the same problem because interoperability serves as an analytics requirement yet continues to block analytics implementation (Orwat et al., 2008). Privacy and security concerns (64%) further limit adoption since HIPAA and GDPR enforce strict rules for compliance. A skills gap becomes evident through the shortage of trained personnel at 59% which demands analytics literacy training programs for clinical and administrative staff. Budget limitations (54%) disproportionately affect smaller institutions, restricting their ability to procure advanced platforms and hire specialized talent (Ward et al., 2014).The results show that multiple strategies need to be implemented to achieve successful analytics adoption. Healthcare facilities need to give top priority to

Table 2. Reported Benefits of Analytics Implementation

Benefit Area	Reporting Improvement (%)	Mean Improvement (%)	Remarks
Diagnostic Accuracy	74%	18.5	Enhanced disease detection
Operational Efficiency	72%	21.3	Streamlined workflows, shorter waits
Patient Satisfaction	69%	15.2	Improved patient experience
Cost Reduction	61%	12.7	Reduced unnecessary tests

Table 3. Correlation Between Analytics Adoption and Reported Benefits

Variable Pair	Correlation Coefficient (r)	Significance (p)	Interpretation
Adoption level & Clinical benefits	0.69	<0.01	Higher adoption linked to improved diagnostics
Adoption level & Operational benefits	0.65	<0.01	Higher adoption linked to workflow efficiency
Adoption level & Patient satisfaction	0.61	<0.01	Adoption improves patient experiences
Adoption level & Cost reduction	0.58	<0.01	Adoption contributes to resource savings
Adoption level & Staff productivity	0.60	<0.01	Adoption increases workforce efficiency
Clinical benefits & Operational benefits	0.72	<0.01	Improved clinical decisions support efficiency
Clinical benefits & Patient satisfaction	0.68	<0.01	Better clinical outcomes increase satisfaction
Operational benefits & Cost reduction	0.63	<0.01	Efficient workflows reduce operational costs

interoperability through their implementation of standardized data formats alongside secure integration frameworks. Analytics platforms need to embed strong cybersecurity protocols which reduce data breach risks while boosting confidence in data protection compliance. Programs designed for workforce development need to address the skills gap by teaching clinicians along with administrators and IT professionals how to understand analytics results for decision-making purposes (Detmer, 2003). The adoption process would benefit from policymakers and funding bodies providing specific subsidies along with incentives which help lower the financial obstacles for smaller healthcare facilities.

5. Conclusion

Healthcare delivery benefits from advanced business analytics which produces better clinical decision support alongside improved operational performance. Healthcare organizations need to solve interoperability problems while boosting data security and providing workforce training to reach the complete potential of analytics. The research demonstrates that advanced business analytics serves as a vital strategic necessity beyond technical improvements for contemporary healthcare organizations. Analytics achieves its complete value through organizations which solve challenges related to integration and security and provide training while securing funding for converting data into actionable insights which enhance patient care and operational efficiency and institutional resilience in healthcare data-driven environments.

Author contributions

S.N. conceptualized the study and developed the methodology. S.K.P. and N.C. prepared the original draft and contributed to the review and editing of the manuscript. M.S.M. and M.I.H. performed data analysis and also participated in the review and revision of the writing.

Acknowledgment

Not declared

Competing financial interests

The authors have no conflict of interest.

References

Ades, A. E., Lu, G., & Claxton, K. (2004). Expected value of sample information calculations in medical decision modeling. Medical Decision Making, 24(2), 207–227. https://doi.org/10.1177/0272989x04263162

Beheshti, H. M., & Beheshti, C. M. (2010). Improving productivity and firm performance with enterprise resource planning. Enterprise Information Systems, 4(4), 445–472. https://doi.org/10.1080/17517575.2010.511276

Boyce, M. B., Browne, J. P., & Greenhalgh, J. (2014). The experiences of professionals with using information from patient-reported outcome measures to improve the quality of healthcare: a systematic review of qualitative research. BMJ Quality & Safety, 23(6), 508–518. https://doi.org/10.1136/bmjqs-2013-002524

Brown-Liburd, H., Issa, H., & Lombardi, D. (2015). Behavioral implications of big data's impact on audit judgment and decision making and future research directions. Accounting Horizons, 29(2), 451–468. https://doi.org/10.2308/acch-51023

Detmer, D. E. (2003). Building the national health information infrastructure for personal health, health care services, public health, and research. BMC Medical Informatics and Decision Making, 3(1). https://doi.org/10.1186/1472-6947-3-1

Detmer, D., Bloomrosen, M., Raymond, B., & Tang, P. (2008). Integrated Personal Health Records: Transformative Tools for Consumer-Centric Care. BMC Medical Informatics and Decision Making, 8(1). https://doi.org/10.1186/1472-6947-8-45

Dey, P. K., Hariharan, S., & Despic, O. (2008). Managing healthcare performance in analytical framework. Benchmarking an International Journal, 15(4), 444–468. https://doi.org/10.1108/14635770810887249

Forbes, D. P. (2005). The effects of strategic decision making on entrepreneurial Self–Efficacy. Entrepreneurship Theory and Practice, 29(5), 599–626. https://doi.org/10.1111/j.1540-6520.2005.00100.x

Farid, S. S., Washbrook, J., & Titchener-Hooker, N. J. (2005). Decision-Support Tool for Assessing Biomanufacturing Strategies under Uncertainty: Stainless Steel versus Disposable Equipment for Clinical Trial Material Preparation. Biotechnology Progress, 21(2), 486–497. https://doi.org/10.1021/bp049692b

Glickman, S. W., Baggett, K. A., Krubert, C. G., Peterson, E. D., & Schulman, K. A. (2007). Promoting quality: the health-care organization from a management perspective. International Journal for Quality in Health Care, 19(6), 341–348. https://doi.org/10.1093/intqhc/mzm047

He, J., Baxter, S. L., Xu, J., Xu, J., Zhou, X., & Zhang, K. (2018). The practical implementation of artificial intelligence technologies in medicine. Nature Medicine, 25(1), 30–36. https://doi.org/10.1038/s41591-018-0307-0

Kohli, R., Piontek, F., Ellington, T., VanOsdol, T., Shepard, M., & Brazel, G. (2001). Managing customer relationships through E-business decision support applications: a case of hospital–physician collaboration. Decision Support Systems, 32(2), 171–187. https://doi.org/10.1016/s0167-9236(01)00109-9

Li, L. X., Benton, W., & Leong, G. (2002). The impact of strategic operations management decisions on community hospital performance. Journal of Operations Management, 20(4), 389–408. https://doi.org/10.1016/s0272-6963(02)00002-5

Luo, J., Wu, M., Gopukumar, D., & Zhao, Y. (2016). Big data application in Biomedical Research and Health Care: A Literature review. Biomedical Informatics Insights, 8, BII.S31559. https://doi.org/10.4137/bii.s31559

McGovern, A., Elmore, K. L., Gagne, D. J., Haupt, S. E., Karstens, C. D., Lagerquist, R., Smith, T., & Williams, J. K. (2017). Using artificial intelligence to improve Real-Time Decision-Making for High-Impact weather. Bulletin of the American Meteorological Society, 98(10), 2073–2090. https://doi.org/10.1175/bams-d-16-0123.1

Mosa, A. S. M., Yoo, I., & Sheets, L. (2012). A Systematic review of healthcare applications for smartphones. BMC Medical Informatics and Decision Making, 12(1). https://doi.org/10.1186/1472-6947-12-67

Musen, M. A., Middleton, B., & Greenes, R. A. (2021). Clinical Decision-Support Systems. In Biomedical informatics. (pp. 795–840). https://doi.org/10.1007/978-3-030-58721-5_24

Orwat, C., Graefe, A., & Faulwasser, T. (2008). Towards pervasive computing in health care – A literature review. BMC Medical Informatics and Decision Making, 8(1). https://doi.org/10.1186/1472-6947-8-26

Politi, M. C., Han, P. K. J., & Col, N. F. (2007). Communicating the uncertainty of harms and benefits of medical interventions. Medical Decision Making, 27(5), 681–695. https://doi.org/10.1177/0272989x07307270

Rajkomar, A., Hardt, M., Howell, M. D., Corrado, G., & Chin, M. H. (2018). Ensuring fairness in machine learning to advance health equity. Annals of Internal Medicine, 169(12), 866. https://doi.org/10.7326/m18-1990

Ranjan, J. (2008). Hurdles and opportunities for Indian firms adopting business intelligence. Journal of Advances in Management Research, 5(1), 56–62. https://doi.org/10.1108/97279810880001267

Ratia, M., Myllärniemi, J., & Helander, N. (2019). The potential beyond IC 4.0: the evolution of business intelligence towards advanced business analytics. Measuring Business Excellence, 23(4), 396–410. https://doi.org/10.1108/mbe-12-2018-0103

Rehman, A., Naz, S., & Razzak, I. (2021). Leveraging big data analytics in healthcare enhancement: trends, challenges and opportunities. Multimedia Systems, 28(4), 1339–1371. https://doi.org/10.1007/s00530-020-00736-8

Rew, L. (2000). Acknowledging intuition in clinical decision making. Journal of Holistic Nursing, 18(2), 94–108. https://doi.org/10.1177/089801010001800202

Sharma, R., Mithas, S., & Kankanhalli, A. (2014). Transforming decision-making processes: a research agenda for understanding the impact of business analytics on organisations. European Journal of Information Systems, 23(4), 433–441. https://doi.org/10.1057/ejis.2014.17

Simpao, A. F., Ahumada, L. M., Gálvez, J. A., & Rehman, M. A. (2014). A review of analytics and clinical informatics in health care. Journal of Medical Systems, 38(4). https://doi.org/10.1007/s10916-014-0045-x

Spring, B. (2007). Evidence-based practice in clinical psychology: What it is, why it matters; what you need to know. Journal of Clinical Psychology, 63(7), 611–631. https://doi.org/10.1002/jclp.20373

Tzeng, S., Chen, W., & Pai, F. (2007). Evaluating the business value of RFID: Evidence from five case studies. International Journal of Production Economics, 112(2), 601–613. https://doi.org/10.1016/j.ijpe.2007.05.009

Wang, Y., & Byrd, T. A. (2017). Business analytics-enabled decision-making effectiveness through knowledge absorptive capacity in health care. Journal of Knowledge Management, 21(3), 517–539. https://doi.org/10.1108/jkm-08-2015-0301

Ward, M. J., Marsolo, K. A., & Froehle, C. M. (2014). Applications of business analytics in healthcare. Business Horizons, 57(5), 571–582. https://doi.org/10.1016/j.bushor.2014.06.003

Wickramasinghe, N., & Schaffer, J. L. (2018). Enhancing healthcare value by applying proactive measures: the role for business analytics and intelligence. International Journal of Healthcare Technology and Management, 17(2/3), 128. https://doi.org/10.1504/ijhtm.2018.098376